

## Cash register MINI-600.04ME

**Electronic cash register MINI-600.04ME** – compact and fully functional cash register.

LED display guarantees quality indication.

Possibility to choose a kind of printer – dot-matrix printer or thermal printer.

Possibility to connect any type of cash drawer.

Built-in accumulator provides continuous operation without the main power source.



CHARACTERISTICS	MINI-600.04ME
Quantity of products	9000
Quantity of departments	16
Quantity of cashiers	20
Quantity of tax groups	5+5
Quantity of symbols in product name	20
Display	LED-type, 10-digits, for a cashier
Reports	X (regular) and Z (periodic) reports: on departments, on products, on cashiers, on time; from the fiscal memory
Printing mechanism	dot-matrix or thermal printing
Printing speed, lines/sec	8
Paper	Thermal paper
Paper width, mm	2x28.5
Symbols per line	2x15
Printing head life time, km of paper	50
Communication interface (I/O)	RS-232 (bar-codes scanner; computer/scales or card payment terminal)
Power supply	Built-in accumulator with recharge through a power supply unit connected to 220 V electric network
Keyboard	Waterproof, dustproof, 30 keys
Accumulator charge level indication	Present
Overall dimensions, mm	320 x 285 x 155
Weight, kg	2.5

### Main features

- Compact, mobile design and light weight
- Low voltage supply
- Connection with a personal computer, card payment terminal, bar-codes scanner or scales
- Waterproof and dustproof keyboard with 30 keys
- Regular and periodic reports: on departments, on cashiers, on time; reports from the fiscal memory
- Serial interface RS-232
- Accumulator charge level indication.
- Semiautomatic paper loading
- 2 paper rolls
- Possibility to connect any type of cash drawer

### Areas of application

- Retail and wholesale trade
- Supermarkets and shops
- Drugstores
- Service industry (cafés, eateries)
- Exhibition unions
- Jeweller's shops
- Kiosks

## Cash register MINI-600.01ME

**Electronic cash register MINI-600.01ME** – compact and fully functional cash register.

LCD display guarantees quality indication.

Possibility to connect any type of cash drawer.

Built-in accumulator provides continuous operation without the main power source.



CHARACTERISTICS	MINI-600.01ME
Quantity of products	10000
Quantity of department	16
Quantity of cashiers	20
Quantity of tax groups	5+5
Quantity of symbols in product name	20
Display	LCD-type, 10-digits, for a cashier
Reports	X (regular) and Z (periodic) reports: on departments, on products, on cashiers, on time; from the fiscal memory
Printing mechanism	thermal printing
Printing speed, lines/sec	10
Paper	Thermal paper
Paper width, mm	2x38
Symbols per line	2x21
Printing head life time, km of paper	50
Communication interface (I/O)	RS-232 (bar-codes scanner; computer/scales or card payment terminal)
Power supply	Built-in accumulator with recharge through a power supply unit connected to 220 V electric network
Keyboard	Waterproof, dustproof, 30 keys
Accumulator charge level indication	Present
Overall dimensions, mm	320 x 285 x 155
Weight, kg	2.5

### Main features

- Compact, mobile design and light weight
- Low voltage supply
- Connection with a personal computer, card payment terminal, bar-codes scanner or scales
- Waterproof and dustproof keyboard with 30 keys
- Regular and periodic reports: on departments, on cashiers, on time; reports from the fiscal memory
- Serial interface RS-232
- Accumulator charge level indication
- Semiautomatic paper loading
- Possibility to connect any type of cash drawer

### Areas of application

- Retail and wholesale trade
- Supermarkets and shops
- Drugstores
- Service industry (cafés, eateries)
- Exhibition unions
- Jeweller's shops
- Kiosks

## Cash register MINI-500.02.01ME

### Electronic cash register MINI-500.02.01ME

This cash register has a built-in accumulator that provides continuous operation without the main power source, has high-speed mechanism of thermal printing distinguishing itself with noiseless of operation, has 2 serial ports RS-232 for connection of various peripheral equipment (personal computer, scales, bar-codes scanner, POS-terminal).

Besides, software of the cash register allows to operate with 18-digit bar-codes, supports all popular models of trade scales and bar-code scanners, and also supports length of product names up to 48 symbols, that allows to use this model practically in all spheres of retail trade and services sphere.



### Main features

- Compact, mobile design and light weight
- High reliability and noiseless printing
- Connection with a personal computer, card payment terminal, bar-codes scanner or scales
- Waterproof and dustproof keyboard with 30 keys
- Regular and periodic reports: daily, on departments, on articles, on cashiers, on hours; from the fiscal memory
- 2 serial interfaces RS-232
- Operation with 18-digit bar-codes
- 48 symbols in the product name

### Areas of application

- Retail and wholesale trade
- Supermarkets and shops
- Drugstores
- Service industry (cafés, eateries)
- Exhibition unions
- Jeweller's shops
- Kiosks

CHARACTERISTICS	MINI-500.02.01ME
Quantity of products	5120
Quantity of department	8
Quantity of cashiers	8
Quantity of tax groups	5+5+4
Fiscal memory	nonvolatile, blocking of cash register operation at switching off
Quantity of symbols in product name	48
Displays	LCD-type, seven-segments, 10-digits with indication of accumulator charge, mode of connection to PC, necessity to have a Z-report printed, activation of double taxation
Reports	X (regular) and Z (periodic) reports: daily, on departments, on articles, on cashiers, on hours; from the fiscal memory
Printing mechanism	thermal printing
Printing speed, lines/sec	8
Paper width, mm	58
Symbols per line	24
Printing head life time, km of paper	50
Communication interface (I/O)	2 x RS-232 (PC, bar-codes scanner, scales, POS-terminal)
Power supply	Built-in accumulator with recharge through a power supply unit connected to 220 V electric network
Keyboard	Waterproof, dustproof, 30 keys
Accumulator charge level indication	Present
Overall dimensions, mm	285 x 120 x 80
Weight, kg	0,95

## Cash register MINI-500.03ME

**Electronic cash register MINI-500.03ME** – though a cash register has little dimensions, MINI-500.03ME possesses with all the functions of a “big” traditional cash register. This model distinguishes with 2 LCD displays (for a cashier and for a client), a high printing speed and noiseless operation of thermal printer. Built-in accumulator provides continuous operation without the main power source.



CHARACTERISTICS	MINI-500.03ME
Quantity of products	4000
Quantity of department	5
Quantity of cashiers	8
Quantity of tax groups	5+5
Quantity of symbols in product name	20
Displays	2 x LCD-type, 10-digits, for a cashier and for a client
Reports	X (regular) and Z (periodic) reports: on departments, on products, on cashiers, on time; from the fiscal memory
Printing mechanism	thermal printing
Printing speed, lines/sec	8
Paper width, mm	58
Symbols per line	24
Printing head life time, km of paper	50
Communication interface (I/O)	RS-232 (bar-codes scanner; computer/scales or card payment terminal)
Power supply	Built-in accumulator with recharge through a power supply unit connected to 220 V electric network
Keyboard	Waterproof, dustproof, 30 keys
Accumulator charge level indication	Present
Overall dimensions, mm	285 x 120 x 85
Weight, kg	1,05

### Main features

- Compact, mobile design and light weight
- High reliability
- 2 displays (for a cashier and for a client)
- Connection with a personal computer, card payment terminal, bar-codes scanner or scales
- Waterproof and dustproof keyboard with 30 keys
- Regular and periodic reports: on departments, on cashiers, on time; reports from the fiscal memory
- Serial interface RS-232

### Areas of application

- Retail and wholesale trade
- Supermarkets and shops
- Drugstores
- Service industry (cafés, eateries)
- Exhibition unions
- Kiosks

## Cash register MINI-400ME

New portable cash register **MINI 400ME** combines in itself tiny dimensions, wide functional possibilities and a long term of autonomous. This model distinguishes with a high printing speed and noiseless operation of thermal printer.

CHARACTERISTICS	MINI-400ME
Quantity of products	10 000
Quantity of department	5
Quantity of cashiers	8
Quantity of tax groups:	
- with positive balance	5
- with negative	5
ns	4
nbols	20
ne	
neter	Up to 50 mm
Displays	LCD-type, 10-digits, for a cashier

X (regular) and Z (periodici9144 Tc (s) T 0.12f32 Tc (m) T -00-0.34176 Tc (e) T -0.24 Tc (g) T 4176

**Reprints** (e) T -0.13 24 Tc (p) 0 Tc (o) Tc-0.2T 0 Tc (o) Thua-0.2T 0 Tc (o) Tno Tf111.36 1 .2 TD -0.050 636



## Cash register MINI-500.02ME

**Electronic cash register MINI-500.02ME** – though a cash register has little dimensions, MINI-500.02ME possesses with all the functions of a “big” traditional cash register. This model distinguishes with a high printing speed and noiseless operation of thermal printer. Built-in accumulator provides continuous operation without the main power source.



CHARACTERISTICS	MINI-500.02ME
Quantity of products	4000
Quantity of department	5
Quantity of cashiers	8
Quantity of tax groups	5+5
Quantity of symbols in product name	20
Displays	LCD-type, 10-digits, for a cashier
Reports	X (regular) and Z (periodic) reports: on departments, on products, on cashiers, on time; from the fiscal memory
Printing mechanism	thermal printing
Printing speed, lines/sec	8
Paper width, mm	58
Symbols per line	24
Printing head life time, km of paper	50
Communication interface (I/O)	RS-232 (bar-codes scanner; computer/scales and card payment terminal)
Power supply	Built-in accumulator with recharge through a power supply unit connected to 220 V electric network
Keyboard	Waterproof, dustproof, 30 keys
Accumulator charge level indication	Present
Overall dimensions, mm	285 x 120 x 65
Weight, kg	0,95

### Main features

- Compact, mobile design and light weight
- High reliability
- Connection with a personal computer, card payment terminal, bar-codes scanner or scales
- Waterproof and dustproof keyboard with 30 keys
- Regular and periodic reports: on departments, on cashiers, on time; reports from the fiscal memory
- Serial interface RS-232

### Areas of application

- Retail and wholesale trade
- Supermarkets and shops
- Drugstores
- Service industry (cafés, eateries)
- Exhibition unions
- Kiosks

## Cash register MINI-500ME

**Electronic cash register MINI-500ME** – though a cash register has little dimensions, MINI-500ME possesses with all the functions of a “big” traditional cash register. This model distinguishes with a high printing speed and noiseless operation of thermal printer. Built-in accumulator provides continuous operation without the main power source.

CHARACTERISTICS	MINI-500ME
Quantity of products	3200
Quantity of department	5
Quantity of cashiers	16
Quantity of tax groups	5+5
Quantity of symbols in product name	14
Displays	LED-type, 10-digits, for a cashier
Reports	X (regular) and Z (periodic) reports: on departments, on products, on cashiers, on time; from the fiscal memory
Printing mechanism	thermal printing
Printing speed, lines/sec	8
Paper width, mm	58
Symbols per line	24
Printing head life time, km of paper	50
Communication interface (I/O)	RS-232 (bar-codes scanner; computer/scales)
Power supply	Built-in accumulator with recharge through a power supply unit connected to 220 V electric network
Keyboard	Waterproof, dustproof, 30 keys
Accumulator charge level indication	Present
Overall dimensions, mm	285 x 120 x 65
Weight, kg	0,95



### Main features

- Compact, mobile design and light weight
- High reliability
- Connection with a personal computer, bar-codes scanner or scales
- Waterproof and dustproof keyboard with 30 keys
- Regular and periodic reports: on departments, on cashiers, on time; reports from the fiscal memory
- Serial interface RS-232

### Areas of application

- Retail and wholesale trade
- Supermarkets and shops
- Drugstores
- Service industry (cafés, eateries)
- Exhibition unions
- Kiosks